

**To:** Egan, Robert[egan.robert@epa.gov]  
**From:** Kamke, Sherry  
**Sent:** Mon 7/13/2015 2:01:14 PM  
**Subject:** RE: Tower Standard Service Proposed Work Plan

Thanks, Bob. I think I will not call in. It is probably better for us to not be over represented on this call. Please let me know what happens. I am curious to see what DNR thinks of this workplan. If they find it acceptable, I would really want to know more about how they see subsequent phases going.

**From:** Egan, Robert  
**Sent:** Monday, July 13, 2015 8:36 AM  
**To:** Kamke, Sherry  
**Subject:** FW: Tower Standard Service Proposed Work Plan

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

(312) 886-6212

(312) 692-2911 (fax)

**From:** Robinson, John H - DNR [<mailto:John.Robinson@wisconsin.gov>]  
**Sent:** Friday, July 10, 2015 5:31 AM  
**To:** [KHanson@ldftribe.com](mailto:KHanson@ldftribe.com); Egan, Robert  
**Cc:** Lundquist, Greer I - DNR  
**Subject:** RE: Tower Standard Service Proposed Work Plan

Thanks, the call in number for the call on Monday July 13<sup>th</sup> is 888 327-8914 and the passcode is

6751 034#.

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

John Robinson

Phone: (715) 359-8932

[John.Robinson@wisconsin.gov](mailto:John.Robinson@wisconsin.gov)

**From:** Hanson, Kristen [<mailto:KHanson@ldftribe.com>]  
**Sent:** Thursday, July 09, 2015 11:19 AM  
**To:** Robinson, John H - DNR; [egan.robert@epa.gov](mailto:egan.robert@epa.gov)  
**Cc:** Lundquist, Greer I - DNR  
**Subject:** RE: Tower Standard Service Proposed Work Plan

Good Afternoon John,

I received REI's soil sampling plan dated June 24<sup>th</sup>, 2015 attached to your email. I have spoken with Bob and plan on participating in Monday's call at 1 pm.

***Kristen Hanson***


Environmental Specialist

Tribal Natural Resource Department

Lac du Flambeau Band of Lake Superior Chippewa Indians

Phone: (715)588-4290

Cell: (715)614-4644



**From:** Robinson, John H - DNR [<mailto:John.Robinson@wisconsin.gov>]  
**Sent:** Monday, July 06, 2015 1:37 PM  
**To:** [egan.robert@epa.gov](mailto:egan.robert@epa.gov); Hanson, Kristen  
**Cc:** Lundquist, Greer I - DNR  
**Subject:** Tower Standard Service Proposed Work Plan

Bob and Kristen

Attached is the proposed scope of work the Department received from REI associated with the investigation at the Tower Standard Service Site (BRRTS #03-64-127889) in Lac Du Flambeau. Please note that the Department has not approved the work plan which calls for initial round of soil boring to be followed by the installation of additional monitoring wells. We have a number of concerns over the proposed scope and would appreciate your taking a look at it and providing us with any comments or questions by July 17<sup>th</sup>. It would be helpful to receive a coordinated response from EPA and the Lac Du Flambeau Band. Please let me know if that time frame works for you or if you have any questions.

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

John Robinson

Northern Region Team Supervisor

Remediation & Redevelopment Program  
Wisconsin Department of Natural Resources  
5301 Rib Mountain Drive, Wausau, WI 54401  
Phone: (715) 359-8932  
Cell Phone: (715) 212-2227  
Fax: (715) 355-5253  
[John.Robinson@wisconsin.gov](mailto:John.Robinson@wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)

